


MET case™


Electronic Enclosures



ACCESSORIES

Universal accessories
for electronic enclosures





Universal Handle Bars For Portable Instrument Enclosures

Tilt and swivel carry handle bars made of diecast zinc for canting and carrying metal electronic enclosures. The strong push-button ratchet features 30° indexing. Aluminium handle profiles are ordered separately and fit between the two side arm assemblies. The handle profiles are supplied cut to the required length (26 mm shorter than the width of your enclosure). This is specified by completing the chosen handle profile part number.

In order to improve the stability, we recommend glueing the aluminium profiles to the side arms.

Standard colours


Off-white RAL 9002
 Anthracite RAL 7016
 Light grey RAL 7035
 Black RAL 9005
 Traffic white RAL 9016





Supply

- ① Side arm (x2)
- ② Socket (x2)
- ③ Star (x2)
- ④ Spring (x2)
- ⑤ Button (x2)
- ⑥ Rubber Grip (x2)
- ⑦ M4 x 35 (x2)
- ⑧ Washer 4.3/12 (x2)
- ⑨ Washer 4.3/9 (x2)
- ⑩ M4 Nut
- ⑪ Handle Profile

Case mounting holes






SIDE ARM KIT

Part No.	Description	Arm Colours	Push-Button Colours
A 93 00 014	Side arm kit	Off-white RAL 9002	Pebble grey RAL 7032
M 50 93 004	Side arm kit	Anthracite RAL 7016	Black RAL 9005
M 50 93 005	Side arm kit	Light grey RAL 7035	Light grey RAL 7035
M 50 93 006	Side arm kit	Traffic white RAL 9016	Traffic grey A RAL 7042
M 50 93 009	Side arm kit	Black RAL 9005	Black RAL 9005



EXTRUSION PROFILE

Part No. See note**	Description	Finish	Colours
M 50 93 0-xxx	Extrusion profile	Painted, fine texture	Silver metallic, RAL 9006
M 50 93 4-xxx	Extrusion profile	Painted, fine texture	Anthracite RAL 7016
M 50 93 5-xxx	Extrusion profile	Painted, fine texture	Light grey RAL 7035
M 50 93 6-xxx	Extrusion profile	Painted, fine texture	Traffic white RAL 9016
M 50 93 7-xxx	Extrusion profile	Painted, fine texture	Off-white RAL 9002
M 50 93 9-xxx	Extrusion profile	Painted, fine texture	Black RAL 9005



How to order: replace **xxx in the part number with the length required. Example: 350 mm wide enclosure, handle profile length is 324 mm (350-26). So the part number will be **M 50 93 0-324** with the handle painted in silver metallic RAL 9006. If the enclosure dimension is 350.5 mm the part number would be **M 50 93 4-324.5** with the handle painted in anthracite RAL 7016.

For full 2D drawings and 3D models please see our website.



Technofeet

Stylish and modern feet kits with or without tilt legs for canting the enclosure. Suitable for fitting to any type of plastic or metal enclosure with a panel thickness up to 3 mm (alternative screws can be supplied for larger panel thicknesses). Simply drill three holes per foot in the enclosure.

Kit 1 (without tilt legs) supply:


- Foot moulding (x4)
- TPE non-slip insert (x4)
- Self-tapping screw (x4)

Kit 2 (with tilt legs) supply:

- Foot moulding (x4)
- Tilt leg (x2)
- TPE non-slip insert (x4)
- Self-tapping screw (x4)

Standard colours:



- Light grey RAL 7035
- Traffic grey A RAL 7042
- Anthracite RAL 7016
- Black RAL 9005




Kit 1



Case mounting holes



Kit 2



Part No.	Kit	Supply	Colours
M 64 20 104	1	①+②+③ x 4	● RAL 7016
M 64 20 105	1	①+②+③ x 4	● RAL 7035
M 64 20 106	1	①+②+③ x 4	● RAL 7042
M 64 20 109	1	①+②+③ x 4	● RAL 9005
M 64 20 204	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 7016
M 64 20 205	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 7035
M 64 20 206	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 7042
M 64 20 209	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 9005



Enclosure Feet



Universal feet kits with or without tilt legs for canting the enclosure. Suitable for fitting to any type of plastic or metal enclosure with a panel thickness up to 4 mm. Simply drill three holes per foot in the enclosure.

Kit 1 (without tilt legs) supply:

- Foot moulding (x4)
- TPE non-slip insert (x4)
- Self-tapping screw (x4)

Kit 2 (with tilt legs) supply:

- Foot moulding (x4)
- Tilt leg (x2)
- TPE non-slip insert (x4)
- Self-tapping screw (x4)





Kit 1

Standard colours:

- Off-white RAL 9002
- Light grey RAL 7035
- Black RAL 9005



Case mounting holes



Kit 2

Part No.	Kit	Supply	Colours
M 92 57 107	1	①+②+③ x 4	● RAL 9002
M 56 00 015	1	①+②+③ x 4	● RAL 7035
M 56 00 019	1	①+②+③ x 4	● RAL 9005
M 92 57 207	2	①+②+③ x 4 + ④ x 2	● RAL 9002
M 56 00 045	2	①+②+③ x 4 + ④ x 2	● RAL 7035
M 56 00 049	2	①+②+③ x 4 + ④ x 2	● RAL 9005

Rubber Foot


Push-in grey rubber non-slip foot for fitting to any metal or plastic enclosures with a panel thickness of up to 2 mm. Drill hole Ø7 mm in panel to fit.

Supply:

- 1 rubber foot

Part No.


M 54 03 002






PCB Guides


Snap-in guides for 1.6 mm PCBs. Material: white PA 6/6 (UL 94 V-2). For panel thickness 1.5 mm. Supply: 1 guide.



Case mounting holes




Part No.	A	B
M 57 00 203	102	88.9
M 57 00 202	216	203.2




PCB Guides

Snap-in guides for 0.8 to 2.0 mm PCBs. Material: natural finish PA 6/6 (UL 94 V-0). Supply: 1 guide.




Case mounting holes



Part No.	A	B
M 64 90 020	140	114.4
M 64 90 010	102	76.2





PCB Mounting Kit



Part No.	Supply
M 64 90 020	① + ② x 10

Case mounting holes






10.5"/19" Front Panels

Supply:
1 panel
(3 mm matt anodised aluminium)


Part No.	Version	H	Ventilated
M 60 10 001	10.5"	3U	
M 60 10 040	10.5"	4U	
M 60 19 010	19"	1U	
M 60 19 011	19"	1U	●
M 60 19 020	19"	2U	
M 60 19 001	19"	3U	
M 60 19 040	19"	4U	
M 60 19 050	19"	5U	
M 60 19 060	19"	6U	



19" Cantilever Rack Shelves

Material: Mild steel CR4


Supply: 1 shelf




Part No.	H	D	Colours
M 61 19 265	2U	280	● RAL 7035
M 61 19 264	2U	280	● RAL 7016



19" Mounting Kit



Part No.	Supply	Colours
M 60 00 035	①+②+③ x 4	● RAL 7035 ②
M 59 00 016	①+②+③ x 4	● RAL 9005 ②
M 59 00 018	①+②+③ x 4	● RAL 9005 ①②



METcase™

MANUFACTURER

Metcase Enclosures
A division of:
OKW Enclosures Ltd.
15 Brunel Way
Segensworth East
Fareham, Hampshire
PO15 5TX
United Kingdom

Telephone: +44 (0) 1489 583858
Email: sales@metcase.co.uk
Website: www.metcase.co.uk

© OKW Enclosures Ltd. All rights reserved
Catalogue Edition 1.1 – March 2026.
This catalogue will be valid until 31/12/2027.
Subject to technical modifications without notice.
Typographical and other errors do not justify any
claim for damages.
Digital Version: 03/2026e

Presented by:

Find your local sales partner here:



UNITED KINGDOM | IRELAND
OKW ENCLOSURES LTD
15 Brunel Way,
Segensworth East,
Fareham, PO15 5TX
United Kingdom
Phone: +44 (0) 1489 583858
Email: sales@metcase.co.uk
Website: www.metcase.co.uk



POLAND
LC ELEKTRONIK Sp. z o.o. Sp. k.
UL. PULKOWA 58,
01-969 Warszawa
Phone: +48 (22) 569 53 00
Email: lcel@lcel.com.pl
Website: www.metcase.co.uk



AUSTRALIA | NEW ZEALAND
ROLEC OKW Australia New Zealand PTY LTD
Unit 6/29 Coombes Drive, Penrith NSW 2750
Phone: +61 2 4722 3388
Email: metcase@rolec-okw.com.au
Website: www.metcase.com.au



ISRAEL
P. Weiss
20 Ha-Ta'as st.
P.O.B. 50 Kfar-Saba, 4442520.
Phone +972 9 7677500
Email: pweiss@pweiss.co.il
Website: www.metcase.co.uk



BELGIUM | LUXEMBOURG
TelereX nv
Uilenbaan 90,
2160 WOMMELGEM, België
Tel: +32 3 326 40 00
Email: sales-be@telereX-europe.com
Website: www.metcase.co.uk



NETHERLANDS
TelereX Nederland B.V.
Minervum 7139, 4817 ZN BREDA
Tel: +31 76 578 20 00
Email: sales-nl@telereX-europe.com
Website: www.metcase.co.uk



BRAZIL
sob Schurter + OKW do Brasil
Componentes Eletrônicos Ltda.
Rua Barão do Triunfo,
88 - Sala 606 Brooklin,
São Paulo/SP CEP 04602-000
Phone: +55 (11) 50 90 00 30
Email: info@sob-brasil.com
Website: www.metcase.co.uk



ITALY
Alhof di A. Hofmann SPA
Via Melegnano 20,
20019 Settimo Milanese MI
Phone: +39 (02) 28 50 08 1
Email: alhof@alhof.com
Website: www.metcase.co.uk

www.metcase.co.uk