



METcase™

Electronic Enclosures




TECHNOMET 19"

Modern Desktop Mini-Rack
Enclosures 19"/10.5"
DIN 41494 | IEC 60297-3



TECHNOMET 19"




Modern Mini-Rack Enclosures For 19"/10.5" Electronics Equipment

Highly attractive mini-rack enclosures for tabletop and portable systems. Designed to accept standard 19"/10.5" wide subracks, chassis and front panels. Conforms to DIN 41494 and IEC 60297-3. Robust yet lightweight aluminium construction. Diecast front/rear bezels fit flush with the case body for a smooth appearance. Supplied with two ABS side handles or a tilt/swivel handle for easy carrying. Internal subrack/chassis support rails included. Ventilation holes in the base and the removable rear panel provide cooling. All case panels supplied with M4 threaded pillars for earth connections. Four ABS non-slip feet fitted to the base. Order your own fully customised version.


Standard colours

Light grey RAL 7035
Antracite RAL 7016
Traffic white RAL 9016
Traffic grey A RAL 7042




Supply


- 1 Top cover
- 2 Base/chassis
- 3 Front bezel (x2)
- 4 Front trim (x2)
- 5 Rear panel
- 6 Rear trim (x2)
- 7 Side handle (x2)
- 8 M3 x 6 mm (x2)
- 9 M4 x 16 mm (x8)
- 10 M6 x 16mm (x4)
- 11 ABS feet
- 12 M3 x 8mm (x12)




TECHNOMET 19"




3U



4U



5U



6U



19" CASE WITH SIDE HANDLES


Part No.	Part No.	Part No.	Version	U	H	W	D	D1
RAL 7042/9016 	RAL 7016 	RAL 7035 						
M 66 19 346	M 66 19 344	M 66 19 345	RC193	3U	155.6	538.8	400.0	378.0
M 66 19 446	M 66 19 444	M 66 19 445	RC194	4U	200.0	538.8	400.0	378.0
M 66 19 546	M 66 19 544	M 66 19 545	RC195	5U	244.5	538.8	400.0	378.0
M 66 19 646	M 66 19 644	M 66 19 645	RC196	6U	288.9	538.8	400.0	378.0

For full 2D drawings and 3D models please see our website.

For front panels and accessories see page 5.

TECHNOMET 19"


3U



4U







3U



4U



TECHNOMET 10.5"




10.5" CASE WITH SIDE HANDLES

Part No.	Part No.	Part No.	Version	U	H	W	D	D1
RAL 7042/9016	RAL 7016	RAL 7035						
M 66 10 346	M 66 10 344	M 66 10 345	RC103	3U	155.6	322.9	330.0	308.0
M 66 10 446	M 66 10 444	M 66 10 445	RC104	4U	200.0	322.9	330.0	308.0

10.5" CASE WITH CARRY HANDLE

Part No.	Part No.	Part No.	Version	U	H	W	D	D1
RAL 7042/9016	RAL 7016	RAL 7035						
M 66 10 356	M 66 10 354	M 66 10 355	RC103H	3U	155.6	322.9	330.0	308.0
M 66 10 456	M 66 10 454	M 66 10 455	RC104H	4U	200.0	322.9	330.0	308.0




10.5"/19" Front Panels

Supply:

1 panel (3 mm matt anodised aluminium)



Part No.	Version	H	Ventilated
M 60 10 001	10.5"	3U	
M 60 10 040	10.5"	4U	
M 60 19 010	19"	1U	
M 60 19 011	19"	1U	●
M 60 19 020	19"	2U	
M 60 19 001	19"	3U	
M 60 19 040	19"	4U	
M 60 19 050	19"	5U	
M 60 19 060	19"	6U	



19" Cantilever Rack Shelves

Material: Mild steel CR4


Supply: 1 shelf



Part No.	H	D	Colour
M 61 19 265	2U	280	○ RAL 7035
M 61 19 264	2U	280	● RAL 7016



19" Mounting Kit



Part No.	Supply	Colour
M 60 00 035	①+②+③ x 4	○ RAL 7035 ②
M 59 00 016	①+②+③ x 4	● RAL 9005 ②
M 59 00 018	①+②+③ x 4	● RAL 9005 ①②

TECHNOMET 19" | CUSTOMISED VERSIONS



Order your own customised version

We can supply the TECHNOMET 19"/10.5" enclosures fully customised to your individual technical specifications.


All external dimensions – height, width and depth – can be modified to ensure your assemblies and equipment will fit exactly.

The enclosures and front panels can be machined with holes and cutouts for fitting displays, keypads, HMI touch panels, control buttons and connections.

Other services include adding inserts and screw bosses; custom colours and finishes; digital and silk-screen printing, and engraving.

Having a flexible manufacturing system allows us to offer competitive prices even for small quantities. Do not hesitate to ask us for a quotation.

Our sales team will be very happy to discuss your requirements and help you specify your TECHNOMET 19"/10.5" enclosures exactly as you need them.



METcase™

MANUFACTURER

Metcase Enclosures
A division of:
OKW Enclosures Ltd.
15 Brunel Way
Segensworth East
Fareham, Hampshire
PO15 5TX
United Kingdom

Telephone: +44 (0) 1489 583858
Email: sales@metcase.co.uk
Website: www.metcase.co.uk

© OKW Enclosures Ltd. All rights reserved
Catalogue Edition 1.1 – September 2025.
This catalogue will be valid until 31/12/2027.
Subject to technical modifications without notice.
Typographical and other errors do not justify any
claim for damages.
Digital Version: 09/2025e

Presented by:

Find your local sales partner here:



UNITED KINGDOM | IRELAND
OKW ENCLOSURES LTD
15 Brunel Way,
Segensworth East,
Fareham, PO15 5TX
United Kingdom
Phone: +44 (0) 1489 583858
Email: sales@metcase.co.uk
Website: www.metcase.co.uk



AUSTRALIA | NEW ZEALAND
ROLEC OKW Australia New Zealand PTY LTD
Unit 6/29 Coombes Drive, Penrith NSW 2750
Phone: +61 2 4722 3388
Email: metcase@rolec-okw.com.au
Website: www.metcase.com.au



BELGIUM | LUXEMBOURG
Telerex nv
Uilenbaan 90,
2160 WOMMELGEM, België
Tel: +32 3 326 40 00
Email: sales-be@telerex-europe.com
Website: www.metcase.co.uk



BRAZIL
sob Schurter + OKW do Brasil
Componentes Eletrônicos Ltda.
Rua Barão do Triunfo,
88 - Sala 606 Brooklin,
São Paulo/SP CEP 04602-000
Phone: +55 (11) 50 90 00 30
Email: info@sob-brasil.com
Website: www.metcase.co.uk



POLAND
LC ELEKTRONIK Sp. z o.o. Sp. k.
UL. PULKOWA 58,
01-969 Warszawa
Phone: +48 (22) 569 53 00
Email: lcel@lcel.com.pl
Website: www.metcase.co.uk



ISRAEL
P. Weiss
20 Ha-Ta'as st.
P.O.B. 50 Kfar-Saba, 4442520.
Phone: +972 9 7677500
Email: pweiss@pweiss.co.il
Website: www.metcase.co.uk



NETHERLANDS
Telerex Nederland B.V.
Minervum 7139, 4817 ZN BREDA
Tel: +31 76 578 20 00
Email: sales-nl@telerex-europe.com
Website: www.metcase.co.uk



ITALY
Alhof di A. Hofmann SPA
Via Melegnano 20,
20019 Settimo Milanese MI
Phone: +39 (02) 28 50 08 1
Email: alhof@alhof.com
Website: www.metcase.co.uk

www.metcase.co.uk